

Eco.lution

High Performance Air-Conditioning



SRKZJ Inverter Wall Split

	Model	SRK20ZJ-S	SRK25ZJ-S	SRK35ZJ-S	SRK50ZJ-S	
operational data	Rated Capacity Cool/Heat	kW	2.0/2.7	2.5/3.2	3.5/4.0	5.0/5.8
	Power Input Cool/Heat	kW/h	0.44/0.62	0.62/0.80	1.01/1.00	1.55/1.59
	EER/COP Cool/Heat		4.55/4.35	4.03/4.00	3.47/4.00	3.23/3.65
	Energy label Cool/Heat (2011 MEPS)	Stars	4/3.5	3/3	2/3	1.5/2.5
	Current Cool/Heat (MAX)	Amp	2.4/3.1	3.1/3.8	4.7/4.7	6.8/7.0 (10.0)
	Sound Pressure Level Hi/Lo Fan	dB(A)	33/21	34/21	42/22	46/26
	Sound Power Level Hi Fan	dB	49	50	58	61
	Airflow Cool/Heat Hi Fan	l/s	130/163	132/177	168/213	188/225
	H2	kW	3.23	3.26	3.72	5.30
	H2 Power Input	kW/h	1.222	1.185	1.31	2.166
H2 COP		2.64	2.75	2.84	2.45	
indoor	Dimensions (hxxwxd)	mm	294x798x229			
	Weight	kg	9.5			
	Filters		Allergen Clear x 1 Photocatalytic Washable Deodorising x 1			
	Drain Hose	mm ø	16			
outdoor	Power Source		1 Phase 230/240V 50Hz			
	Recommend Circuit Breaker	Amp	16			
	Dimensions (hxxwxd)	mm	540x780(+62)x290			640x800(+71)x290
	Weight	kg	32		35	42
	Sound Pressure Level	dB(A)	47	48	50	46
	Sound Power Level (AS/NZS1217.4)	dB	59	60	62	61
	Compressor		Rotary			
	Refrigerant R410A	kg	0.75		1.05	1.35
Refrigerant Piping	mm ø	6.35/9.52				

Note: Sound data in cooling model and in an anechoic chamber. During operation these values are somewhat higher due to ambient conditions
 Because of our policy of continuous improvement, we reserve the right to make changes in all specifications without notice